

Merchant & Gould

An Intellectual Property Law Firm

Merchant & Gould P.C.
3200 IDS Center
80 South Eighth Street
Minneapolis, MN 55402-2215

A Professional Corporation

Fax Transmission | August 11, 2005

TO:

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

FROM: Mark E. Deffner

OUR REF: 13174.7US11

TELEPHONE: 612.332.5300

RECEIVED
CENTRAL FAX CENTER

Total pages, including cover letter: 6

AUG 11 2005

PTO FAX NUMBER 1-571-273-8300


If you do NOT receive all of the pages, please telephone us at 612.332.5300, or fax us at 612.332.9081.

Title of Document Transmitted: RESPONSE and PETITION FOR EXTENSION OF TIMEApplicant: KIRILA II ET AL.Serial No.: 09/922.431Filed: AUGUST 3, 2001Group Art Unit: 2857Our Ref. No. 13174.7US11Confirmation No. 7423

Please charge Deposit Account No. 13-2725 in the amount of \$120.00 for Extension of time. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate.

By Name: Mark E. DeffnerReg. No.: 55,103

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on the date shown below.

Kay Fahland
Signature8-11-05
Date

S/N 09/922,431

PATENTIN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	KIRILA II, et al.	Examiner:	PAUL L. KIM
Serial No.:	09/922,431	Group Art Unit:	2857
Filed:	08/03/2001	Docket No.:	13174.7US1
Confirmation No.:	7423		
Title:	PROCESS AND DEVICE TO CONTINUOUSLY MONITOR AND CONTROL A MANUFACTURING PROCESS		

CERTIFICATE UNDER 37 CFR 1.6(d)

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on

8-11-05

By:

Name: Kay Fahlend

RESPONSE

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Dear Sir:

In response to the Office Action mailed April 18, 2005, the following remarks are
submitted.

Remarks begin on page 2 of this paper.